ELSEVIER

Biochimica et Biophysica Acta 1421 (1999) 380–382

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

www.elsevier.com/locate/bba

Biomembranes
Author Index

Ajandouz, E.H., see Dalle Ore, F. (1421) 234
Albers, W.M., see Vikholm, I. (1421) 39
Allen, C., Yu, Y., Eisenberg, A. and Maysinger, D.
Cellular internalization of PCL_{20}-*b*-PEO_{44} block copolymer micelles (1421) 32

Baba, T., Toshima, Y., Minamikawa, H., Hato, M., Suzuki, K. and Kamo, N.
Formation and characterization of planar lipid bilayer membranes from synthetic phytanyl-chained glycolipids (1421) 91
Bai, C., see Cheng, Y. (1421) 249
Bailly, P., see Couriaud, C. (1421) 347
Bakker-Woudenberg, I.A.J.M., see Schiffelers, R.M. (1421) 329
Bartosz, G., see Zavodnik, I.B. (1421) 306
Belagyi, J., Pas, M., Raspor, P., Pesti, M. and Páli, T.
Effect of hexavalent chromium on eukaryotic plasma membrane studied by EPR spectroscopy (1421) 175
Berg, T., see Synnes, M. (1421) 317
Bergeron, M.G., see Dufresne, I. (1421) 284
Bestman-Smith, J., see Dufresne, I. (1421) 284
Béven, L., Helluin, O., Molle, G., Duclohier, H. and Wróblewski, H.
Correlation between anti-bacterial activity and pore sizes of two classes of voltage-dependent channel-forming peptides (1421) 53
Bobrowska-Hägerstrand, M., see Hägerstrand, H. (1421) 125
Brash, J.L., see Yamazaki, A. (1421) 103
Brech, A., see Synnes, M. (1421) 317
Bryszewska, M., see Zavodnik, I.B. (1421) 306

Ceolotto, G., see Sartori, M. (1421) 140
Cermak, R. and Scharrer, E.
Effect of 2,5-anhydro-D-mannitol on membrane potential in rat hepatocyte couplets and hepatocyte monolayer cultures (1421) 116
Ceve, G., see Huebner, S. (1421) 1
Champagne, M.J., see Gagnon, F. (1421) 163
Cheng, Y., Liu, M., Li, R., Wang, C., Bai, C. and Wang, K.
Gadolinium induces domain and pore formation of human erythrocyte membrane: an atomic force microscopic study (1421) 249
Cornelius, R.M., see Yamazaki, A. (1421) 103
Couriaud, C., Leroy, C., Simon, M., Silberstein, C., Bailly, P., Ripoche, P. and Rousselet, G.
Molecular and functional characterization of an amphibian urea transporter (1421) 347

Dalle Ore, F., Ajandouz, E.H., Giardina, T. and Puigserver, A.
The membrane-bound basic carboxypeptidase from hog intestinal mucosa (1421) 234
Danieluk, M., see Hägerstrand, H. (1421) 125
de Kroon, A.I.P.M., see Janssen, M.J.F.W. (1421) 64
de Kruijff, B., see Janssen, M.J.F.W. (1421) 64
Debrick, J.E., see Konigsberg, P.J. (1421) 149
Désormeaux, A., see Dufresne, I. (1421) 284
Deuticke, B., see Schwarz, S. (1421) 361
Duclohier, H., see Béven, L. (1421) 53
Dufresne, I., Désormeaux, A., Bestman-Smith, J., Gourde, P., Tremblay, M.J. and Bergeron, M.G.
Targeting lymph nodes with liposomes bearing anti-HLA-DR Fab' fragments (1421) 284
Dumas, F., Lebrun, M.-C., Peyron, P., Lopez, A. and Tocanne, J.-F.
The transmembrane protein bacterioopsin affects the polarity of the hydrophobic core of the host lipid bilayer (1421) 295

Ebel, H. and Günther, T.
Characterization of Mg^{2+} efflux from rat erythrocytes non-loaded with Mg^{2+} (1421) 353
Edwards, K., see Parmar, M.M. (1421) 77
Eisenberg, A., see Allen, C. (1421) 32

Gagnon, F., Orlov, S.N., Champagne, M.J., Tremblay, J. and Hamet, P.
Heat stress preconditioning does not protect renal epithelial Na^+,K^+,Cl^- and Na^+,P_i cotransporters from their modulation by severe heat stress (1421) 163
Giardina, T., see Dalle Ore, F. (1421) 234
Gourde, P., see Dufresne, I. (1421) 284
Günther, T., see Ebel, H. (1421) 353

Haest, C.W.M., see Schwarz, S. (1421) 361
Hägerstrand, H., Danieluk, M., Bobrowska-Hägerstrand, M., Pector, V., Ruysschaert, J.-M., Kralj-Iglič, V. and Iglič, A.
Liposomes composed of a double-chain cationic amphiphile (Vectamidine) induce their own encapsulation into human erythrocytes (1421) 125
Hamet, P., see Gagnon, F. (1421) 163
Hato, M., see Baba, T. (1421) 91
Helluin, O., see Béven, L. (1421) 53
Henmi, A., see Kono, K. (1421) 183
Huebner, S., Politsch, E., Vierl, U. and Ceve, G.
EDTA-induced self-assembly of cationic lipid-DNA multilayers near a monolayer-covered air-water interface (1421) 1
Hui, S.W., see Ross, P.C. (1421) 273

Iglič, A., see Hägerstrand, H. (1421) 125

Janssen, M.J.F.W., Koorengevel, M.C., de Kruijff, B. and de Kroon, A.I.P.M.
Transbilayer movement of phosphatidylcholine in the mitochondrial outer membrane of *Saccharomyces cerevisiae* is rapid and bidirectional (1421) 64
Jørgensen, K., see Trandum, C. (1421) 207

Kamo, N., see Baba, T. (1421) 91
Katoh, T., see Ohyashiki, T. (1421) 131

PII: S0005-2736(99)00180-7

ELSEVIER

Biochimica et Biophysica Acta 1421 (1999) 380–382

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

www.elsevier.com/locate/bba

Biomembranes
Author Index

Ajandouz, E.H., see Dalle Ore, F. (1421) 234
Albers, W.M., see Vikholm, I. (1421) 39
Allen, C., Yu, Y., Eisenberg, A. and Maysinger, D.
Cellular internalization of PCL_{20}-*b*-PEO_{44} block copolymer micelles (1421) 32

Baba, T., Toshima, Y., Minamikawa, H., Hato, M., Suzuki, K. and Kamo, N.
Formation and characterization of planar lipid bilayer membranes from synthetic phytanyl-chained glycolipids (1421) 91
Bai, C., see Cheng, Y. (1421) 249
Bailly, P., see Couriaud, C. (1421) 347
Bakker-Woudenberg, I.A.J.M., see Schiffelers, R.M. (1421) 329
Bartosz, G., see Zavodnik, I.B. (1421) 306
Belagyi, J., Pas, M., Raspor, P., Pesti, M. and Páli, T.
Effect of hexavalent chromium on eukaryotic plasma membrane studied by EPR spectroscopy (1421) 175
Berg, T., see Synnes, M. (1421) 317
Bergeron, M.G., see Dufresne, I. (1421) 284
Bestman-Smith, J., see Dufresne, I. (1421) 284
Béven, L., Helluin, O., Molle, G., Duclohier, H. and Wróblewski, H.
Correlation between anti-bacterial activity and pore sizes of two classes of voltage-dependent channel-forming peptides (1421) 53
Bobrowska-Hägerstrand, M., see Hägerstrand, H. (1421) 125
Brash, J.L., see Yamazaki, A. (1421) 103
Brech, A., see Synnes, M. (1421) 317
Bryszewska, M., see Zavodnik, I.B. (1421) 306

Ceolotto, G., see Sartori, M. (1421) 140
Cermak, R. and Scharrer, E.
Effect of 2,5-anhydro-D-mannitol on membrane potential in rat hepatocyte couplets and hepatocyte monolayer cultures (1421) 116
Ceve, G., see Huebner, S. (1421) 1
Champagne, M.J., see Gagnon, F. (1421) 163
Cheng, Y., Liu, M., Li, R., Wang, C., Bai, C. and Wang, K.
Gadolinium induces domain and pore formation of human erythrocyte membrane: an atomic force microscopic study (1421) 249
Cornelius, R.M., see Yamazaki, A. (1421) 103
Couriaud, C., Leroy, C., Simon, M., Silberstein, C., Bailly, P., Ripoche, P. and Rousselet, G.
Molecular and functional characterization of an amphibian urea transporter (1421) 347

Dalle Ore, F., Ajandouz, E.H., Giardina, T. and Puigserver, A.
The membrane-bound basic carboxypeptidase from hog intestinal mucosa (1421) 234
Danieluk, M., see Hägerstrand, H. (1421) 125
de Kroon, A.I.P.M., see Janssen, M.J.F.W. (1421) 64
de Kruijff, B., see Janssen, M.J.F.W. (1421) 64
Debrick, J.E., see Konigsberg, P.J. (1421) 149
Désormeaux, A., see Dufresne, I. (1421) 284
Deuticke, B., see Schwarz, S. (1421) 361
Duclohier, H., see Béven, L. (1421) 53
Dufresne, I., Désormeaux, A., Bestman-Smith, J., Gourde, P., Tremblay, M.J. and Bergeron, M.G.
Targeting lymph nodes with liposomes bearing anti-HLA-DR Fab' fragments (1421) 284
Dumas, F., Lebrun, M.-C., Peyron, P., Lopez, A. and Tocanne, J.-F.
The transmembrane protein bacterioopsin affects the polarity of the hydrophobic core of the host lipid bilayer (1421) 295

Ebel, H. and Günther, T.
Characterization of Mg^{2+} efflux from rat erythrocytes non-loaded with Mg^{2+} (1421) 353
Edwards, K., see Parmar, M.M. (1421) 77
Eisenberg, A., see Allen, C. (1421) 32

Gagnon, F., Orlov, S.N., Champagne, M.J., Tremblay, J. and Hamet, P.
Heat stress preconditioning does not protect renal epithelial Na^+,K^+,Cl^- and Na^+,P_i cotransporters from their modulation by severe heat stress (1421) 163
Giardina, T., see Dalle Ore, F. (1421) 234
Gourde, P., see Dufresne, I. (1421) 284
Günther, T., see Ebel, H. (1421) 353

Haest, C.W.M., see Schwarz, S. (1421) 361
Hägerstrand, H., Danieluk, M., Bobrowska-Hägerstrand, M., Pector, V., Ruysschaert, J.-M., Kralj-Iglič, V. and Iglič, A.
Liposomes composed of a double-chain cationic amphiphile (Vectamidine) induce their own encapsulation into human erythrocytes (1421) 125
Hamet, P., see Gagnon, F. (1421) 163
Hato, M., see Baba, T. (1421) 91
Helluin, O., see Béven, L. (1421) 53
Henmi, A., see Kono, K. (1421) 183
Huebner, S., Politsch, E., Vierl, U. and Ceve, G.
EDTA-induced self-assembly of cationic lipid-DNA multilayers near a monolayer-covered air-water interface (1421) 1
Hui, S.W., see Ross, P.C. (1421) 273

Iglič, A., see Hägerstrand, H. (1421) 125

Janssen, M.J.F.W., Koorengevel, M.C., de Kruijff, B. and de Kroon, A.I.P.M.
Transbilayer movement of phosphatidylcholine in the mitochondrial outer membrane of *Saccharomyces cerevisiae* is rapid and bidirectional (1421) 64
Jørgensen, K., see Trandum, C. (1421) 207

Kamo, N., see Baba, T. (1421) 91
Katoh, T., see Ohyashiki, T. (1421) 131

PII: S0005-2736(99)00180-7

Ko, K. and Ko, Z.W.
In vitro targeting of the Toc36 component of the chloroplast envelope protein import apparatus involves a complex set of information (1421) 198
Ko, Z.W., see Ko, K. (1421) 198
Konigsberg, P.J., Debrick, J.E., Pawlowski, T.J. and Staerz, U.D.
Liposome encapsulated aurothiomalate reduces collagen-induced arthritis in DBA/1J mice (1421) 149
Kono, K., Henmi, A. and Takagishi, T.
Temperature-controlled interaction of thermosensitive polymer-modified cationic liposomes with negatively charged phospholipid membranes (1421) 183
Koorengevel, M.C., see Janssen, M.J.F.W. (1421) 64
Kralj-Iglič, V., see Hägerstrand, H. (1421) 125

Lapshina, E.A., see Zavodnik, I.B. (1421) 306
Lebrun, M.-C., see Dumas, F. (1421) 295
Leroy, C., see Couriaud, C. (1421) 347
Li, R., see Cheng, Y. (1421) 249
Liu, M., see Cheng, Y. (1421) 249
Lopez, A., see Dumas, F. (1421) 295
Løvdal, T., see Synnes, M. (1421) 317

Madden, T.D., see Parmar, M.M. (1421) 77
Maloy, S., see Surber, M.W. (1421) 5
May, J.M. and Qu, Z.-c.
Ascorbate-dependent electron transfer across the human erythrocyte membrane (1421) 19
Maysinger, D., see Allen, C. (1421) 32
Millar, I.D. and Shennan, D.B.
The regulation of Na^+-dependent anionic amino acid transport by the rat mammary gland (1421) 340
Minamikawa, H., see Baba, T. (1421) 91
Molle, G., see Béven, L. (1421) 53

Nunomura, M., see Ohyashiki, T. (1421) 131

Ohyashiki, T., Nunomura, M. and Katoh, T.
Detection of superoxide anion radical in phospholipid liposomal membrane by fluorescence quenching method using 1,3-diphenylisobenzofuran (1421) 131
Orlov, S.N., see Gagnon, F. (1421) 163

Páli, T., see Belagyi, J. (1421) 175
Parmar, M.M., Edwards, K. and Madden, T.D.
Incorporation of bacterial membrane proteins into liposomes: factors influencing protein reconstitution (1421) 77
Pas, M., see Belagyi, J. (1421) 175
Pawlowski, T.J., see Konigsberg, P.J. (1421) 149
Pector, V., see Hägerstrand, H. (1421) 125
Peltonen, J., see Vikholm, I. (1421) 39
Pesti, M., see Belagyi, J. (1421) 175
Peyron, P., see Dumas, F. (1421) 295
Politsch, E., see Huebner, S. (1421) 1
Prydz, K., see Synnes, M. (1421) 317
Puigserver, A., see Dalle Ore, F. (1421) 234

Qu, Z.-c., see May, J.M. (1421) 19

Raspor, P., see Belagyi, J. (1421) 175
Rekawiecka, K., see Zavodnik, I.B. (1421) 306
Ripoche, P., see Couriaud, C. (1421) 347
Ross, P.C. and Hui, S.W.
Polyethylene glycol enhances lipoplex-cell association and lipofection (1421) 273
Rousselet, G., see Couriaud, C. (1421) 347
Ruysschaert, J.-M., see Hägerstrand, H. (1421) 125

Sartori, M., Ceolotto, G. and Semplicini, A.
MAPKinase and regulation of the sodium–proton exchanger in human red blood cell (1421) 140
Scharrer, E., see Cermak, R. (1421) 116
Schiffelers, R.M., Bakker-Woudenberg, I.A.J.M., Snijders, S.V. and Storm, G.
Localization of sterically stabilized liposomes in *Klebsiella pneumoniae*-infected rat lung tissue: influence of liposome characteristics (1421) 329
Schwarz, S., Haest, C.W.M. and Deuticke, B.
Extensive electroporation abolishes experimentally induced shape transformations of erythrocytes: a consequence of phospholipid symmetrization? (1421) 361
Semplicini, A., see Sartori, M. (1421) 140
Shennan, D.B., see Millar, I.D. (1421) 340
Silberstein, C., see Couriaud, C. (1421) 347
Simon, M., see Couriaud, C. (1421) 347
Snijders, S.V., see Schiffelers, R.M. (1421) 329
Staerz, U.D., see Konigsberg, P.J. (1421) 149
Storm, G., see Schiffelers, R.M. (1421) 329
Surber, M.W. and Maloy, S.
Regulation of flavin dehydrogenase compartmentalization: requirements for PutA–membrane association in *Salmonella typhimurium* (1421) 5
Suzuki, K., see Baba, T. (1421) 91
Synnes, M., Prydz, K., Løvdal, T., Brech, A. and Berg, T.
Fluid phase endocytosis and galactosyl receptor-mediated endocytosis employ different early endosomes (1421) 317

Takagishi, T., see Kono, K. (1421) 183
Tocanne, J.-F., see Dumas, F. (1421) 295
Toshima, Y., see Baba, T. (1421) 91
Trandum, C., see Westh, P. (1421) 261
Trandum, C., Westh, P. and Jørgensen, K.
Slow relaxation of the sub-main transition in multilamellar phosphatidylcholine vesicles (1421) 207
Tremblay, J., see Gagnon, F. (1421) 163
Tremblay, M.J., see Dufresne, I. (1421) 284

Vierl, U., see Huebner, S. (1421) 1
Viitala, T., see Vikholm, I. (1421) 39
Vikholm, I., Viitala, T., Albers, W.M. and Peltonen, J.
Highly efficient immobilisation of antibody fragments to functionalised lipid monolayers (1421) 39

Wang, C., see Cheng, Y. (1421) 249
Wang, K., see Cheng, Y. (1421) 249
Weber, W.-M.
Ion currents of *Xenopus laevis* oocytes: state of the art (1421) 213
Westh, P., see Trandum, C. (1421) 207
Westh, P. and Trandum, C.
Thermodynamics of alcohol–lipid bilayer interactions: application of a binding model (1421) 261
Winnik, F.M., see Yamazaki, A. (1421) 103
Wróblewski, H., see Béven, L. (1421) 53

Yamazaki, A., Winnik, F.M., Cornelius, R.M. and Brash, J.L.
Modification of liposomes with *N*-substituted polyacrylamides: identification of proteins adsorbed from plasma (1421) 103
Yu, Y., see Allen, C. (1421) 32
Zavodnik, I.B., Lapshina, E.A., Rekawiecka, K., Zavodnik, L.B., Bartosz, G. and Bryszewska, M.
Membrane effects of nitrite-induced oxidation of human red blood cells (1421) 306
Zavodnik, L.B., see Zavodnik, I.B. (1421) 306